

NEXT UP INDUSTRIAL SUPPLIES

(A DIVISION OF NEXT UP INVESTMENT SPC)

COMPANY PROFILE

SPARES & PARTS FOR CRUSHERS, READY MIX ,HOT MIX, CONSTRUCTION &
HEAVY EQUIPMENT, CHEMICALS, STEEL PLATES & STRUCTURAL PRODUCTS,
WELDING ACCESSORIES & CONSUMABLES

COMPANY OVERVIEW

NEXT UP INDUSTRIAL SUPPLIES A division of **NEXT UP INVESTMENT SPC** is a premier supplier of high-quality **Industrial Spares, Parts, and Components** for the **Crusher, Heavy Equipment** and **Construction Industries** in **Oman** and across the **Gulf** region.

With clear focus on **Quality, Reliability & Customer Satisfaction**, we serve as a vital link in the **Construction, Mining, and Infrastructure** sectors by delivering durable and performance-driven spare parts that keep machines running smoothly and operations uninterrupted.



VISION & MISSION

VISION

To be the most trusted and innovative supplier of Industrial Spares and Parts in the Middle East, enabling our clients to build the future with confidence and efficiency

MISSION

- ✓To provide **premium-quality Crusher and Construction Equipment Parts** at competitive prices.
- ✓To Maintain a **robust inventory** ensuring minimal downtime for clients
- ✓To build **long-term relationships** through reliability, technical support and customized solutions

CORE VALUES

- ☞ **Integrity** : Transparent dealings and ethical practices.
- ☞ **Quality** : Uncompromised product standards.
- ☞ **Reliability**: On-time delivery and responsive support.
- ☞ **Innovation**: Constant improvement in sourcing and supply chain management.
- ☞ **Customer-Centricity**: Focused on solving client problems, not just selling products.



CUSTOM SOURCING & BULK SUPPLY

- ☞ Hard-to-find Parts
- ☞ OEM and After market options
- ☞ Customized procurement solutions
- ☞ Contract supply and logistics for large scale projects



INDUSTRIES WE SERVE

- ☞ Quarry & Mining
- ☞ Road & Infrastructure
- ☞ Construction & Civil Engineering
- ☞ Oil & Gas Maintenance
- ☞ Fabricators & Large Industries
- ☞ Heavy Equipment Rental Companies


WHY NEXT UP ?

- ✓ **Expertise** : In depth industry knowledge and years of experience
- ✓ **Stock Availability**: Well-managed inventory with fast delivery across Oman
- ✓ **Technical Support**: Advice from experienced engineers and specialists
- ✓ **Competitive Pricing**: Affordable solutions without compromising quality
- ✓ **Trusted Brands**: Partnerships with global OEMs and reputed manufacturers.



OUR PROMISE

At **NEXT UP INDUSTRIAL SUPPLIES**, we don't just sell parts - we deliver **performance, dependability** and **partnerships that last**. Whether you're running a single machine or managing major construction site, we have the parts and service commitment you can rely on



LONG PRODUCTS

UNIVERSAL BEAM (UB)

UNIVERSAL COLUMNS (UC)

AMERICAN WIDE FLANGE BEAMS
(W-SECTIONS)

JAPANESE H BEAMS (JIS)

JAPANESE I BEAMS (JIS)

EUROPEAN FLANGE BEAMS
(HEA & HEB SECTIONS)

EUROPEAN I BEAMS (IPE SECTION)

BRITISH CHANNELS (PFC)

EUROPEAN CHANNELS (UPN)

JAPANESE CHANNELS (JIS)

EQUAL ANGLES

UNEQUAL ANGLES

FLAT BARS

SQUARE BARS

SHAFTING / ROUND BARS

DEFORMED / REINFORCEMENT BARS

STEEL T BAR

BULB BARS/ HOLLAND PROFILES

INVERTED ANGLES

SIZE	GRADE
UB 127 x 76 to 1016 x 305 mm	EN 10025 S275JR / S355JR / S355J2
UC 152 x 152 to 356 x 406 mm	ASTM A36 / A572 GR.50 / A992 GR.50
Width: 5 x 3 to 36 x 16.5	EN 10025 S275JR / S355JR / S355J2
	ASTM A36 / A572 GR.50 / A992 GR.50
100 x 100 to 400 x 400 mm	EN 10025 S275JR / S355JR
100 x 50 to 900 x 300 mm	JIS G3101 SS400 / SS490
HEA 100 to HEA 1000 mm	EN 10025 S275JR / S355JR / S355J2
HEB 100 to HEB 1000 mm	ASTM A36 / A572 GR.50
IPE 80 to 600 mm	EN 10025 S275JR / S355JR / S355J2
100 x 50 to 430 x 100 mm	EN 10025 S275JR / S355JR / S355J2
UPN 80 to 400 mm	EN 10025 S275JR / S355JR / S355J2
75 x 40 to 380 x 100 mm	JIS G3101 SS400
25 x 25 to 250 x 250 mm	S275JR / S355JR / A36 / SS400
75 x 50 to 200 x 100 mm	S275JR / S355JR / A36 / SS400
25 to 250 mm	S275JR / BS4360 GR.43A
Thickness: 3 to 20 mm	JIS G3101 SS400 / A36
8 to 60 mm	EN 10025 S275JR / A36 / ST37.2
6 to 200 mm	EN 10025 S275JR / A36
	BS 4360 GR.43A / ST37.2 / SS400
8 to 32 mm	BS 4449-2005 GRADE B500B
40 x 40 x 5 to 50 x 50 x 6 mm	S275JR / ST37.2 / A36
100 x 6 - 430 x 20	GR A/ AH36 - 3.2 BY IACS TP1A
200 x 90 - 450 x 125	GR A/ AH36 - 3.2 BY IACS TP1A

FLAT PRODUCTS

HOT ROLLED STEEL PLATES / SHEETS

1.2 x 2.4, 1.5 x 6, 1.8 x 6, 2 x 6 m	S275JR / ASTM A36
2.5 x 8, 2.5 x 10, 2.5 x 12 m	JIS G3101 SS400 / ST37.2
3.05 x 8, 3.05 x 10, 3.05 x 12 m	WITH & W/O TPI & 3.2 CERTIFICATION
Thickness: 2 to 150 mm	

HOT ROLLED CHEQ. PLATES / SHEETS

1.2 x 2.4, 1.5 x 6 m	ASTM A36 / ST37.2 / S275JR
Thickness: 2 to 12 mm	

HOT ROLLED COILS

0.80 to 16mm x 1219/1500/2000 mm	S235JR/S355JR/A36/SPHC/SPHT1
----------------------------------	------------------------------

COLD ROLLED COILS

0.35 to 2 mm x 1219 mm	SPCCSD
------------------------	--------

WIRE ROD

5.50/6.50/7/8/9/11	SAE 1006/SAE 1008/SAE 1012/SAE 1018
--------------------	-------------------------------------

STEEL PLATES: HIGH TENSILE & OFFSHORE QUALITY

1.5- 2 x 6, 2.5 x 8, 2.5 x 10, 2.5 x 12 m	API 2H GR.50 / API 2W GR.50 / S355 EMZ
3.05 x 8, 3.05 x 10, 3.05 x 12 m	S355 K2+N / S355J2+N / S355JO+N
Thickness: 4 to 100 mm	S355JR / A572GR.50

STEEL PLATES: MARINE QUALITY

2 x 6, 2.5 x 8, 2.5 x 12, 3.05 x 12 m	GR.A / B / D, GR.AH36 / DH36 / EH36
Thickness: 6 to 100 mm	WITH TPI & 3.2 CERTIFICATION

STEEL PRESSURE VESSEL PLATE

2 x 6, 2.5 x 8, 2.5 x 12, 3.05 x 12 m	ASTM / ASME / SA516 GR.60 ¹⁰ /65/70 N
Thickness: 6 to 100 mm	NORMALIZED, NACE MR0175, VACCUM DEGASSED
	WITH TPI & 3.2 CERTIFICATION
	HIC TESTED DICREST 5 / DICREST 10 / DICREST 15
	BS EN10028 P265GH /P355GH

FLAT PRODUCTS

HIGH TEMP. CHROME MOLYBDENUM

ABRASION RES. & HIGH ST. STEEL PLATE

COLD ROLLED SHEETS

GALVANIZED SHEETS

ALUMINIUM SHEETS

ALUMINIUM CHEQUERED SHEETS

ALUMINIUM CORRUGATED SHEETS

STAINLESS STEEL SHEETS

SIZE

GRADE

BS EN10028 16 Mo3

ASME SA 387 Gr. 11, 12, 22, 5 & 9 CL 1- CL 2

Monel Alloy 200 / 400 / 600 / 800

HARDOX 300 OR XAR 300

HARDOX 400 OR XAR 400 OR RAEX 400
OR FORA 400

HARDOX 500 OR XAR 500
OR DILLIDUR 500

S690QL

RAEX 700MC

S960QL

1.2 x 2.4 m - 0.7 to 1.5 mm

GOST 1050-88 / 08KP

1.2 x 2.4 m - 0.4 to 4 mm

JIS G3302 / ASTM A653

1.2 x 2.4 m - 0.5 to 10 mm

AA1100

1.2 x 2.4 m - 2 to 6 mm

AA3105

08 ft x 0.4 mm to 12 ft x 0.4 mm

AA3003

11

1.2 x 2.4 m - 0.5 to 12 mm

ASTM A240 304/304L
OR ASME SA240 304 & 316L

ASTM A240 S310 S/S410

SS 904L DUPLEX & SUPER DUPLEX

ASTM UNS 32304, UNS 31803,
UNS 32760, UNS 32750

FLAT PRODUCTS

	SIZE	GRADE
GRATINGS BLACK & GALVANIZED	3 x 20 to 50 x 4 mm Plain & Serrated	EN 10025 S275JR / A36
	3FT x 20FT, 1x 6 m & TAILOR MADE	GALV. BS729 / ASTM A123
MILD STEEL EXPANDED METAL	1.2 x 2.4 m - 2.3 to 6 mm	JIS G3351
ALU ZINC SHEETS/COILS	1.2 x 2.4 m - 0.4 to 4 mm	ASTM A792
ELECTRO GALVANIZED SHEETS/COILS	1.2 x 2.4 m - 0.4 to 4 mm	JIS G3313
PPGI COILS	Thickness: 0.28 - 0.68 mm Width: 1040/1070/1090/1219 mm	JIS G3312/A653
NICKEL ALLOY		201 UNS N02201 / 200 UNS N02200
MONEL ALLOY		400 UNS N04400 / K-500 UNS N05500
INCONEL ALLOY		625 UNS N06625 / 601 UNS N06601 / 600 UNS N06600
		718 UNS N07718 / 725 UNS N07725
INCOLOY ALLOYS		825 UNS N08825 / 925 UNS N09925 / 803 UNS S35045
TITANIUM ALLOYS		ASME SB 265-2 / 265-1 / SB 348-2 / SB 861-2 / 363-WPT2W
WEATHERING STEEL PLATE	5 mm x 125 mm	EN 10025-5:2004
CORTEN A		S355J0WP
CORTEN B		S355J0W / S355J2W

TUBULARS PRODUCTS/PIPES

MS ERW PIPES BLACK & GALVANIZED

SEAMLESS PIPE

CARBON STEEL LOW TEMP SEAMLESS

CARBON STEEL LOW TEMP WELDED

CARBON STEEL WELDED

ALLOY PIPES

DUPLEX/SUPER DUPLEX SEAMLESS

DUPLEX/SUPER DUPLEX WELDED

SQUARE HOLLOW SECTIONS

RECTANGULAR HOLLOW SECTIONS

SIZE

GRADE

Dia. 0.50" to 20" - Sch. 40 & 80 &
Class A/B/C Thickness: 1,2 to 20 mm

BS1387/API 5L/A53

Dia. 0.50" to 20" - Sch 40, 80, 120 & 160

ASTM A53 Gr.B/API 5L x 52/ASTM A106 Gr.B

X42/X52/X60/X65 - PSL1 PSL2

1/4" - 24"

A333 GR6/A333 GR3

20" - 48"

A671 CC60 & A671 CC65

2" - 48"

ERW/HFW/SAW/DSAW A53 GRB/API 5L
GRB/X42/X52/X60/X65

21/2" - 24"

ASTM - A 335 P1/P2/P5/P9/P11/12

1/2" - 8"

ASTM 790

8" - 24"

ASTM A928/ ASTM 790

16 x 16 till 400 x 400mm

JIS G3466 STKR400 / STKR490

S275J2H / S355J2H /ASTM 500 Gr.A/B/C

40 x 20 till 400 x 200mm

JIS G3466 STKR400 / STKR490

S275J2H / S355J2H /ASTM 500 Gr.A/B/C

13

FITTINGS

CARBON STEEL

CARBON STEEL FORGED

DUPLEX / SUPER DUPLEX

SIZE

GRADE

1/4" - 48"

A234 WPB/A420 WPL6/WPHY52

1/4" - 6" A

105/A350 LF2

1/2" - 16"

A815 UNS S31803/ UNS S32750

SS & EXOTIC GRADES

	SIZE	GRADE
COILS	Width 1219, 1500 ; Thickness: 0.35 TO 3.0 mm	201,304/304L, 316/316L
PLATES/SHEETS	1219 X 2438, 1219 X 3050, 1500 X 3050, 2 m X 6 m	201,304/316L/S31803/S32750/S32760/310S/625/825
		SS 904LDUPLEX & SUPER DUPLEX
		ASTM UNS 32304, UNS 31803, UNS 32760, UNS 32750
SHS	25 X 25 TO 100 X 100. Thickness: 1.2 mm to 3 mm	304 & 316
ROUND BARS	Dia 6.0 mm to 100 mm	304/316L/S31803/S32750/S32760/310S/625/825/17-4PH
DECORATIVE PIPES	Dia 1/2" to 2"	304 & 316
FLAT BARS	Width upto 100 mm; Thickness: upto 12 mm	304 & 316L/
EQUAL ANGLES	Max 150 mm X 150 mm; Thickness: up to 12 mm	304/316L
SEAMLESS & WELDED PIPE	1/2" 24" SCH 10S,40s,80s,160s	304/316L/S31803/S32750/S32760/310S/625/825
THREADED BAR	5 mm to 24 mm	304/316L/ CLASS A470/A480
ANCHOR BOLT / STUD BOLT	1/2" - M42 as per drawing	304/316L/S31803/S32750/S32760/310S/625/825
FITTINGS & FLANGES	1/2" to 24" SCH 10S,40s,80s,160s/WNRF/BLRF SWRF	304/316L/S31803/S32750/S32760/310S/625/825
SS BW FITTINGS	1/2" to 24" SCH 10,SCH40,SCH STD,SCH 80	A403 WP304/304L/ WP316/316L
SS FORGED FITTINGS	1/4" to 4" #3000,#6000	A182 F316/316L/ F304/304L
REBARS	8 mm to 40mm	304L/316L/316LN/316S33/318S13/S32304/
WIRE ROD	0.5mm to 6 mm	304L/316L/316LN/316S33/318S13/S32304/

VALUE ADDED STEEL PRODUCTS

	SIZE	GRADE
DECKING SHEETS	Thickness: 0.7 to 1.5 mm	A653, SS340, GR.50, Z275
PURLINS (ZXC)	Thickness: 1.2 to 3 mm	A653, SS340, GR.50, Z275
SINGLE SKIN PROFILED SHEETSS	Thickness 0.28 to 0.90 mm	A653 / A792 / AA3105

COMPLETE PROJECT PACKAGE SUPPLIERS TO
STORAGE FARMS FOR STORING LPG,
PETROLEUM PRODUCTS AND PALM OIL STORAGE

MILL TEST CERTIFICATE AVAILABLE FOR EVERY PRODUCT

WELDING PRODUCTS RANGE

Welding Accessories

- MIG Welding Torches
- Gas Cutting Torches
- Gas Heating Torches
- Gas Regulators (O, Ar, He, N, A, CO2, & H)
- Electrode Holders
- Ground Clamps
- Cable Connectors
- Flashback Arrestor
- LPG Regulator
- Flowmeter

Electrodes

- Fabrication Electrodes
- Low Heat Input Electrodes
- Repair and Maintenance Electrodes

Welding Spares

- Nozzles
- Contact Tips
- Tip Holder
- Swan Neck
- Insulators
- Sub-Merged Arc Welding Tips
- Plasma Consumables
- Spot Welding Electrodes

TIG Rods & MIG Wires

- Stainless Steel
- Copper Alloys
- Aluminium Alloys





Welding Accessories & Spares

Electrode Holders | Ground Clamps | Gas Regulators | Supporting Products
Torches - MIG Welding Torches | Gas Heating | Gas Cutting | Two Way Valve
Spares - Gas Nozzle | Contact Tips | Tip Holder | Others



Welding & Brazing Consumables (TIG | MIG | Electrodes)

Steel | Stainless Steel | Copper Alloys | Aluminum Alloys | Nickel Alloys
Fabrications | Hard facing | Repair & Maintenance



Welding Machine Parts

TIG | MIG | Robotic MIG | Welding Machine Parts
Torch Replacement parts | Collet | Collet Body Gas Lens | Gas Regulator
parts | Other parts




Arc Welding Accessories

Electrode Holders | Ground Clamps | Connectors |
Supporting Products | Hose Fittings | Ovens



WOVEN WIRE MESH



Metallic screens are the most widely used screens in the aggregate and mining industries, due to their high screening area, precision, and price ratio.

Precise screening capability due to their crimping style and are manufactured using the best steel alloy to withstand high abrasion, tension and impact.

Manufacturing high-quality meshes also requires a strong focus on the inside tension of the mesh. We have the know-how that comes with experience to ensure the appropriate tension to avoid minimal vibrations that can cause the mesh to break.

WOVEN WIRE MESH AS PER ISO 4783-3

ISO 4783-3 Type A

Double crimped woven mesh

ISO 4783-3 Type B

(Single) Intermediate crimped woven mesh

ISO 4783-3 Type C

(Double) Intermediate crimped woven mesh

ISO 4783-3 Type D

Lock crimped woven mesh

ISO 4783-3 Type E

Flat top woven mesh

OUR OFFERINGS



CONVEYOR BELT AND ROLLERS



CONVEYOR BELTS REPAIR KIT



REPAIR KIT



WEAR AND PROTECTION SOLUTIONS



INGRESS AND CORROSION SOLUTIONS



CRUSHER PARTS

PRODUCTS & SERVICES

✂ CRUSHER SPARES & PARTS

We supply essential components for various crusher including:

❖ **Wear Parts:** Jaw plates, Cone liners, Blow bars, Hammers, Mantles and Concaves

❖ **Spare Parts:** Bearings, Gears, Hydraulic Pumps, Motors

❖ **Screening Parts:** Screen meshes, Wire screens, Tension rails

❖ **Conveyor Spares:** Belts, Rollers, Drive systems

❖ **Service:** On-site inspection, part installation, equipment audit

ANTI-CLOGGING SCREEN (SELF-CLEANING MESH)

POLY RIPPLE SCREEN Minimum aperture size: 1.8 to 60mm



- Poly ripple screen cloth is light but durable with higher open area than woven wire
- Very active & increases throughput when compared with conventional woven wire screen cloth
- Reduced pegging or blinding – increased efficiency & capacity

POLY VENO HARP SCREEN Aperture size: 3 to 100 mm



- Poly Veno harp screen cloth is light but durable with higher open area than woven wire
- Known to last up to 3 times longer than other standard screen cloth
- Overcome the wear problem caused by using the finer aperture screen cloth due to high TPH or the lump size
- Reduced pegging or blinding – increased efficiency & capacity

POLY PIANO SCREEN Aperture size: 0.8 mm to 10 mm



- Extremely effective in screening dry-manufactured sand
- Can increase production in screening fine, sticky materials or other lightweight but difficult-to-screen materials
- Ideal for screening RAP asphalt and other similar aggregates, as well as for removal of super-fine material

POLY WAVY HARP SCREEN Aperture: 2 mm to 20 mm



- Poly Veno harp screen cloth is light but durable with higher open area than woven wire
- Known to last up to 3 times longer than other standard screen cloth
- Overcome the wear problem caused by using the finer aperture screen cloth due to high TPH or the lump size
- Reduced pegging or blinding – increased efficiency & capacity

ANTI-CLOGGING MODULAR SCREEN



- High open area for superior screening efficiency
- Flexible wire movement enhances stratification and separation
- Reduced downtime and lower maintenance costs
- Excellent wear resistance for extended service life

POLYURETHANE flip-flop mat



Polyurethane, due to its high anti-abrasiveness and great elastic properties, is advisable for screening abrasive materials and performs at its utmost under dry or humid conditions.

- Maximum duration compared with other screening materials
- Minimum maintenance cost
- Easy to install
- Low obstruction (conic perforations and elasticity)

PU Coated Wiremesh



PU coated screens are steel wire mesh coated with abrasion resistant polyurethane. These mesh improved efficiency compared to your standard wire mesh screen, with longer durability at lower maintenance costs overall

- 90 Shore A (Poly Hardness)
- Apertures start from 2.0×2.0 mm
- Wire diameters start from 2.0 mm
- Slotted apertures are also available

Rubber Cross Tension Screen Mat



provides excellent stability minimizes pegging and blinding, and allows for easy installation and quick replacement without special tools. Rubber construction significantly reduces noise and vibration compared to wire mesh, while offering superior impact resistance and extended service life under abrasive and wet conditions.

- High abrasion and impact resistance
- Reduced noise and vibration levels
- Quick and easy installation
- Aperture 5mm to 100mm
- Rubber thickness 3mm to 25mm

PRODUCTS & SERVICES

✂ CONSTRUCTION EQUIPMENT SPARES

Replacement parts for:

PRODUCTS & SERVICES

✂ CONSTRUCTION EQUIPMENT SPARES

Replacement parts for:



PRODUCTS & SERVICES

✂ CONSTRUCTION EQUIPMENT SPARES

Replacement parts for:


- 
- PRODUCTS & SERVICES**
- ✂ CONSTRUCTION EQUIPMENT SPARES**
- Replacement parts for:



PRODUCTS & SERVICES

✂ HYDRAULIC & PNEUMATIC COMPONENTS

- ❖ Hydraulic Hose, Adaptors and Fittings
- ❖ Seals and O-rings
- ❖ Custom Hose Assemblies
- ❖ Cylinders and Pumps



RMC PARTS



Aggregate Gate



Chute Rubber




Gear Box



Load Cells



Pan Mixer Arms



Pan Mixer



Screw-conveyor with Motor



Sicoma Mixer Spares



Skip Bucket Bearing



Skip Bucket



Ropes



Solenoid Valve



Butterfly Valves



Pneumatic Union Tee



Two Way Pneumatic Valve



Cement Silo Filters



Contactors



Motor Brake Coil



MPCB



Pneumatic Cylinders



PLC



Proximity Sensor



PU Tube



Relays



Compressor Spares



Hanger Bearing



Limit Switch



D Shackle



Bearings



Centaflex Coupling



Stud Bolts



Chain Pulley



V Belt Pulley



Seal Kits



Admixture Pump



Pressure Relief Valve for Silo



Springs



Admixture Jar

PART NAMES:

- Skip Drive • Bucket Arrangement • Lubrication System
- Pneumatic System • Boom Assembling • Screw Conveyor
- Winch L&H • Tension Spring • Roller Bearing • Allenkey Screw
- Skip Weighing Frame • Discharge Door etc.,

- SCHWING STETTER • GREAVES • APPOLLO
- PANTA • KYB • SANY • LINNHOFF Etc.,

HOT MIX PLANT PARTS

					
Liners	Paddle Arm & tips	Gate Liners	Stuffing Box	Nuts and Bolts	Chain
					
Filter Bag Cage & Profiles	Impellar	Tapper Lock Pulley	Exhaust Damper Gate	V-Belt	Wire Mesh
					
Conveyor Belt	Conveyor Roller	GearBox	Bearings	Head Pulleys	Burner Servo Motor
					
Dryer-Drum-Flights	Tunnion Roller & Guide Roller	Burner	ConveyorScrew	VFD	Vibratory Motor
					
Twin Shaft Cylinder	Solenoid Valve	Cylinder Seal Kit	Limit Switch	Load Cell	Butterfly Valve
					
Bitumen Pump	Ignition Transformer	Temperature Controller	Contactors	Cables	
					
PLC	Thermocouple	Agitator Mixer	Temperature and pressure gauge	Hydraulic Hoses & Fittings	

PART NAMES:

• Feeder Belts • Return Rollers • Impact Rollers • Head Pulley Tail Pulley
 • Motor Brake • Pulsing Valves • Fuel Valves • Nozzles • Photo Cell
 • Electrodes • Level Indicators • Mixer Shafts • Rely • Pressure Gauge
 • Bitumen Valve • Gasket • Couplings • Silicon etc.,

• LINNHOFF • LINTEC • SPECO • APPOLLO
 • AMMAN APPOLLO • D&G • FABHIND
 • MARANI • ARDANT Etc.,

CRUSHER PLANTS PARTS



Jaw Plate



Clamping Block



Jaw Plate Bolt



Springs



Toggle Plate & Seat



Concave & Mantle



Bushes



Cone Crusher Main Shaft



Torch Ring



Check Nut / Trust Ring



VSI Spares



Rotor Assembly



Conveyor Roller Frame



Blow Bar



Gearbox



Bearings



Conveyor Belt



Conveyor Rollers



Nuts & Bolts



Fasteners & Gum



V Belts



O Rings



Seals



Backing Compound



Hydraulic Filters



Plumber Blocks



Thrust Pad



Rib Liner



Wire Mesh & PU Mesh



Jaw Crusher Side Plate

PART NAMES:

- Fixed Wedge • Moving Wedge • Distributor Plate
- Long Backup Tip • Short Backup Tip • Cardon Shaft
- Jaw Plate Shim • VSI Parts • Body Liners • VSI Rotor
- Screen Back Clamp • Dust Seal Ring etc..

- PUZZOLANA • PROMAN • PROPEL
- SANDVIK • TEREX • METSO Etc.,

COOLING TOWER WATER TREATMENT CHEMICALS

S.No	Product Name	Application	Description	Pack Size
1	Cooling Tower Scale Inhibitor	Cooling Tower	All-organic scale & deposit control	25 kg Can
2	Oxidizing Biocide	Cooling Tower	Controls algae, fungi & bacteria	25 kg Can
3	Non-Oxidizing Biocide	Cooling Tower	Microbial growth control	25 kg Can
4	Broad Spectrum Biocide	Cooling Tower	Biofilm & slime control	25 kg Can
5	Corrosion Inhibitor	Chiller Water	Nitrite-based protection	25 kg Can
6	Multi-Metal Corrosion Inhibitor	Chiller Water	Protects MS, Copper & Aluminum	25 kg Can
7	Chiller Biocide	Chiller Water	Controls bacteria & fungi	25 kg Can
8	Non-Oxidizing Chiller Biocide	Chiller Water	Safe for sensitive systems	25 kg Can
9	Neutralizer	Cleaning Chemicals	Neutralizes acidic cleaning solutions	25 kg Can
10	CIP Cleaner	Cleaning Chemicals	Heat exchanger & chiller cleaner	25 kg Can

BOILER WATER TREATMENT CHEMICALS

S.No	Product Name	Application	Description	Pack Size
11	Boiler Alkalinity Builder	Boiler Water	pH booster & corrosion prevention	25 kg Can
12	Oxygen Scavenger	Boiler Water	Removes dissolved oxygen	25 kg Can
13	Sludge Conditioner	Boiler Water	Controls sludge deposition	25 kg Can
14	Single Drum Boiler Treatment	Boiler Water	Multi-functional boiler treatment	25 kg Can

ETP / STP CHEMICALS

S.No	Product Name	Application	Description	Pack Size
15	Bio-Enhancer	ETP/STP	Improves dissolved oxygen & MLSS activity	25 kg Can
16	Anionic Polyacrylamide	ETP/STP	Clarification & sludge settling	25 kg Bag
17	Cationic Polyacrylamide	Sludge Dewatering	High-performance dewatering polymer	25 kg Bag
18	Polyaluminium Chloride	ETP/STP	Primary coagulant	25 kg Bag
19	Defoamer	ETP/STP	Foam suppression	25 kg Can
20	Decolorizing Chemical	Textile ETP	Color reduction	25 kg Can

RO CHEMICALS

S.No	Product Name	Application	Description	Pack Size
21	RO Antiscalant	BWRO/SWRO	Prevents scale formation	25 kg Can
22	Membrane Cleaner (Alkaline)	RO Systems	Organic fouling removal	25 kg Can
23	Membrane Cleaner (Acidic)	RO Systems	Scale removal	25 kg Can
24	RO Biocide	RO Systems	Biological control	25 kg Can
25	Membrane Preservative	RO Systems	Membrane storage protection	25 kg Can
26	Antiscalant	RO Desalination	Scale prevention	25 kg Can
27	Antiscalant	RO Desalination	High recovery systems	25 kg Can
28	Antiscalant	RO Desalination	Seawater applications	25 kg Can
29	Regeneration Salt	Softener Plant	Resin regeneration	25 kg Bag

SWIMMING POOL CHEMICALS

S.No	Product Name	Application	Pack Size
30	Alum Gel	Swimming Pool	25 kg Can
31	Aluminium Sulphate	Swimming Pool	25 kg Bag
32	Chlorine Powder	Swimming Pool	25 kg Bag
33	Copper Sulphate	Swimming Pool	25 kg Bag
34	Sodium Hypochlorite 10-12%	Swimming Pool	20 kg Can
35	Calcium Hypochlorite 70%	Swimming Pool	40 /45 kg Drum
36	TCCA 90% Tablets	Swimming Pool	5-50 kg Drum
37	TCCA 90% Granules	Swimming Pool	25 /50 kg Drum
38	Boroxo Salt Tablets	Swimming Pool	25 kg Bag
39	Pool Water Test Kits	Swimming Pool	Kit

CONSTRUCTION CHEMICALS

S. No	Product Name
40	Super Plasticizer
41	Water Reducer
42	Waterproofing Compound
43	Crystalline Waterproofing
44	Epoxy Flooring
45	PU Flooring
46	Repair Mortar
47	Non-Shrink Grout
48	Bonding Agent

OILFIELD CHEMICALS & DRILLING FLUIDS

S. No	Product Name
49	Bentonite - Based
50	PAC-LV - Based
51	PAC-HV - Based
52	CMC - Based
53	Xanthan Gum - Based
54	PHPA - Based
55	KCl Mud Additive- Based
56	Corrosion Inhibitor - Based
57	Scale Inhibitor - Based
58	Demulsifier - Based
59	Paraffin Inhibitor - Based

LOCATION & CONTACT

📍 NEXT UP INDUSTRIAL SUPPLIES

Near MODREN BAKERY
REX ROAD, RUWI
MUSCAT, SULTANATE OF OMAN

✉ P.O. Box 834, Ruwi
Postal Code 112
Sultanate of Oman

+968 9465 0899
+968 7954 4737
+968 9705 1908



nextupinvestmentspc@gmail.com
nextupindustrialsupplies@gmail.com